IN THE CLAIMS

For the Patent Office convenience, all pending claims are presented below with changes shown in accordance with the new required amendment format. Please amend claims 14 and 16.

- (Previously Presented) A method comprising:
 administering a beverage composition suitable for human consumption
 comprising effective amounts of the following solubilized components:
 a calcium compound;
 a pH modifying organic acid in an amount up to the equivalent amount of a
 calcium of the calcium compound wherein the final pH range is between pH 3 and
 pH 5; and inulin,
 wherein the effective amounts are sufficient to reduce the risk of bone density
 loss.
- 2. (Original) The method of claim 1, wherein the composition further comprises amounts of Vitamin D₃ and Vitamin K.
- 3. (Previously Presented) The method of claim 2, wherein the beverage composition further comprises:
 a stabilizing agent comprising at least one stabilizer selected from the group consisting of maltol, carrageenan and maltodextrin and xanthan gum.
- 4. (Original) The method of claim 3, wherein the effective amounts of the individual components are selected for an individual serving size representing a portion less than a daily predetermined amount.
- 5. (Original) The method of claim 1, wherein the composition further comprises effective amounts of a magnesium compound.

Docket No. 70452.P001C Application No. 10/057,156

- 6. (Previously Presented) The method of claim 1, wherein the composition further comprises an isoflavone.
- 7. (Previously Presented) A method comprising:
 administering a beverage composition suitable for human consumption
 comprising amounts of the following solubilized compounds:
 a calcium compound;
 a magnesium compound;
 a pH modifying organic acid in an amount up to the equivalent amount of a
 calcium of the calcium compound wherein the final pH range is between pH 3 and
 pH 5; and;
 a fructo-oligosaccharide.
- 8. (Original) The method of claim 7, wherein the composition further comprises Vitamin D₃.
- 9. (Previously Presented) The method of claim 7, wherein the beverage composition further comprises:
 a stabilizing agent comprising at least one stabilizer component selected from the group consisting of maltol, carrageenan and maltodextrin and xanthan gum.
- 10. (Original) The method of claim 7, wherein the effective amounts of the individual components are selected for an individual serving size representing a portion less than a daily predetermined amount.
- 11. (Original)The method of claim 7, wherein the composition further comprises an isoflavone.
- 12. (Canceled)



- 13. (Canceled)
- 14. (Currently Amended) A composition suitable for human consumption comprising a portion of a daily amount of:
 - a dietary acceptable calcium compound;
 - a dietary acceptable magnesium compound;
 - a dietary acceptable inulin; and
 - a pH modifying organic acid in an amount up to the equivalent amount of a calcium of the calcium compound and,
 - wherein, when combined in solution, the composition is translucent and has a pH range of pH 3 to pH 5.
- 15. (Original) The composition of claim 14, further comprising:a dietary acceptable Vitamin D₃; anda dietary acceptable Vitamin K.
- 16. (Currently Amended) The composition of claim 15, wherein the composition is one of a ready-to-drink solubilized beverage and a solubilized beverage preparation.
- 17. (Previously Presented) The composition of claim 15, wherein the composition is a beverage and further comprising:

 a stabilizing agent comprising at least one stabilizer component selected from the group consisting of maltol, carrageenan and maltodextrin and xanthan gum, such that each component of the composition is soluble in the liquid.
- 18. (Previously Presented) The composition of claim 17, further comprising a dietary acceptable isoflavone.



- 19. (Original) The composition of claim 18, wherein the isoflavone is a soy isoflavone that comprises at least one of a daidzein compound, a genistein compound, and a glycitein compound.
- 20. (Original)The composition of claim 14, wherein the weight ratio of calcium to magnesium is in the range of five to one and three to one.
- 21. (Original)The composition of claim 18, wherein the weight ratio of calcium to isoflavones is in the range of ten to one.
- 22. (Original)The composition of claim 14, wherein the weight ratio of calcium to inulin is one to ten.
- 23. (Previously Presented) The composition of claim 14, wherein the magnesium compound further comprises phosphorus.

